




***JTK International***

ISO 9001 : 2015 Certified

**JTK**





## Conduit Fittings & Accessories

Steel - Cast Iron  
(Finish: Galvanised - Black)



**Lock Nut - Hexagonal  
(Nut Hex)**  
Size: 16mm to 50mm  
Size: 1/2" to 2"



**Lock Ring - Milled Edge  
(Nut Round)**  
Size: 16mm to 50mm  
Size: 1/2" to 2"



**Spacer Bar Saddle  
(Steel Clamps)**  
Size: 20mm to 50mm  
Size: 3/4" to 2"



**Plain Saddle  
(Steel Clamps Plain)**  
Size: 20mm, 25mm, 32mm



**Hospital Saddle  
Distance Saddle**  
Size: 20mm, 25mm



**Half Saddle**  
Size: 20mm, 25mm  
3/4", 1"



**Flat Crampet  
Twisted Crampet**  
Size: 20mm, 25mm



**Nipple**  
Size: 20mm, 25mm



**Coupler**  
Size: 20mm, 25mm  
Size: 3/4", 1"



**Flange Coupler**  
Size: 20mm, 25mm



**Normal Bend**  
Size: 20mm, 25mm, 32mm



**Hex Stop End**  
Size: 20mm, 25mm



**Reducer**  
Size: 25mm x 20mm  
20mm x 16mm  
32mm x 20mm  
32mm x 25mm



**Circular Box**  
Type: 1,2,3,4 way  
Angle- U-H-Y- way.  
Size: 20mm - 25mm



**Box Lid Cover  
(Recessed)**  
Size: 20mm & 25mm



**Box Lid Cover  
(Flat)**  
Size: 20mm & 25mm



**Channel Clamp**  
Size: 3/4" to 4"



**Spring Nut**  
Type: Plain, Short, Long  
Size: 6mm to 12mm



**Elbow Inspection**  
Size: 20mm, 25mm



**Tee Inspection**  
Size: 20mm, 25mm



**Looping Box**  
Type: 1,2,3 Holes & 4 K.O.  
Size: 32.0mm Deep x 63.3mm



**Extension Ring**  
Size: 10mm to 50mm



**Dome Cover**  
Size: 20mm, 3/4"



**Hook Cover**



**Male Hook**  
Size: 20mm



**Serrated Washers**  
Size: 16mm to 90mm  
Size: NPT- 1/2" to 4"



**Penny Washers**  
Size: 25mm x M6,  
25mm x M8,  
25mm x M10



**Steel Screw**  
Size: M3.5, M4, 2BA, 4BA.  
Long: 1/2" to 3"



**Steel Adaptable Box**  
Size: 3" x 3" to 12" x 12"  
& 1.5" to 6" Deep



**Switch & Socket Box**  
Size: 1 Gang x 16mm & 25mm,  
1 Gang x 35mm & 47mm,  
2 Gang x 25mm & 35mm,  
Duel Box x 35mm



**Grommet  
Super Grommet**  
(Open / Blind)  
Size: 20mm to 50mm



**Gasket**  
For: 20mm - 25mm  
Circular Box



**Earth Rod**  
(Copper Bonded)  
Size: 3/8", 5/8"



**Roofing Bolt and Square Nut**  
Size: M6 x 8mm to M6 x 50mm



**Sprinkler Clamp**  
Size: 3/4" to 6"



**Double Rubber Pipe Clamp**  
Size: 3/4" to 6"



## Stainless Steel Fittings Tinned Copper Accessories



**Coupler**  
Size: 20mm,  
25mm, 32mm



**Nipple**  
Size: 20mm, 25mm



**Flange Coupler**  
Size: 20mm,  
25mm, 32mm



**Hex Stop End (Plug)**  
Size: 20mm, 25mm



**Lock Nut**  
Size: 20mm,  
25mm



**Reducer**  
Size: 25mm x 20mm



**Male Bush**  
Size: 20mm,  
25mm, 32mm



**Copper Cable Lugs**  
Size: 1.5mm<sup>2</sup> to  
1000mm<sup>2</sup>



**Female Bush**  
Size: 20mm, 25mm



**Copper Cable Lugs  
(Bell Mouth)**  
Size: 6mm<sup>2</sup> to  
300mm<sup>2</sup>



**Serrated Washers**  
Size: 16mm to 90mm  
Size: NPT 1/2" to 4"



**Ferules (In Line Connector)  
Splices**  
Size: 1.5mm<sup>2</sup> to  
1000mm<sup>2</sup>



**Brass Cable Gland**  
Type: BW  
Size: 16mm to 90mm



**Brass Cable Gland**  
Type: CW  
Size: 16mm to 90mm



**Brass Cable Gland**  
Type: A-2  
Size: 16mm to 90mm



**Brass Square Clamp**  
Size: 20mm x 3mm  
25mm x 3mm & others



**Brass D.C. Tape Clips**  
Size: 20mm x 3mm  
25mm x 3mm & others



**Brass Tape Clips**  
Size: 20mm x 3mm  
25mm x 3mm & others



**Brass Earth Rod Clamps**  
Brass Couplings  
Size: 3/8", 5/8" & others



**Brass Couplings**  
Size: 5/8" & others



**Brass Male / Female Bush**  
Size: 16mm to 50mm  
3/4" to 2"



**Brass Connectors (Male & Female)**  
(Nickle Plated)  
Size: 1/2" x 10mm to 2" x 2"



**Brass Adaptors (Male & Female)**  
(Self Finish)  
Size: 1/2" x 10mm to 2" x 2"



**Brass Neutral / Earth Links**  
Size: 2 Way to 40 Way